

University of Groningen

## Genus- and species-specific identification of mycoplasmas by 16S rRNA amplification

van Kuppeveld, F J; van der Logt, J T; Angulo, A F; van Zoest, M J; Quint, W G; Niesters, H G; Galama, J M; Melchers, W J

*Published in:*  
Applied and environmental microbiology

**IMPORTANT NOTE:** You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

*Document Version*  
Publisher's PDF, also known as Version of record

*Publication date:*  
1993

[Link to publication in University of Groningen/UMCG research database](#)

### *Citation for published version (APA):*

van Kuppeveld, F. J., van der Logt, J. T., Angulo, A. F., van Zoest, M. J., Quint, W. G., Niesters, H. G., Galama, J. M., & Melchers, W. J. (1993). Genus- and species-specific identification of mycoplasmas by 16S rRNA amplification. *Applied and environmental microbiology*, 59(2), 655.

### **Copyright**

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

### **Take-down policy**

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

*Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.*

## AUTHOR'S CORRECTION

### Genus- and Species-Specific Identification of Mycoplasmas by 16S rRNA Amplification

F. J. M. VAN KUPPEVELD, J. T. M. VAN DER LOGT, A. F. ANGULO, M. J. VAN ZOEST, W. G. V. QUINT,  
H. G. M. NIESTERS, J. M. D. GALAMA, AND W. J. G. MELCHERS

*Department of Medical Microbiology, University of Nijmegen, P.O. Box 9101, 6500 HB Nijmegen, National  
Institute of Public Health and Environmental Protection, 3720 BA Bilthoven, and Department  
of Molecular Biology, Diagnostic Centre SSDZ, 2600 GA Delft, The Netherlands*

Volume 58, no. 8, p. 2606–2615. In this paper, we have described a mycoplasma genus-specific primer set (primers GPO-1 and MGSO), which specifically amplifies a 715-bp fragment with all mycoplasma species investigated but not with other species. The specificity of this primer set, as is demonstrated in Fig. 7 in our article, was proven on the rDNA level.

Very recently we have found that when the mycoplasma genus-specific primer set is used for the amplification of rRNA sequences, predominantly a 350-bp product is formed instead of the 715-bp product. Since this unusual phenomenon is observed only on the rRNA level, not on the rDNA level (as can be seen in Fig. 7), it is most probably due to some unusual features or (length) restrictions of the reverse transcription step.

To avoid this problem, we have replaced primer GPO-1 with a new 5' primer (GPO-3), which is closer to the 3' primer MGSO. We have demonstrated that amplification with primer GPO-3 in conjunction with primer MGSO results in a polymerase chain reaction product of 270 bp on both the rDNA and rRNA level (see Fig. 1 in our article) and that these primers display the same specificity as was described previously for the primers GPO-1 and MGSO (see Fig. 2 in our article). For confirmation of the polymerase chain reaction with the primers GPO-3 and MGSO, we have used probe GPO-4.

Thus, for amplification of rRNA sequences with the genus-specific primer set, we advise replacement of 5' primer GPO-1 and probe GPO-2 with the following oligonucleotides, GPO-3 (new 5' primer) and GPO-4 (new probe).

GPO-3	5'-GGGAGCAAACAGGATTAGATACCCT-3' IUB <i>E. coli</i> 16S rRNA positions 774–798
GPO-4	5'-CTTAAAGGAATTGACGGGAACCCG-3' IUB <i>E. coli</i> 16S rRNA positions 910–933